in accordance with regulation (EC) No 1907/2006



Version: 1 Date revised: 05.02.2024

Replaced version:-Foliflex Bleach Page 1 of 7 Printing date: 23.04.2024

1 mining date: 20.04.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Commercial product name: Foliflex Bleach

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/preparation:Dental splinting material long-term

1.3 Details of the supplier of the safety data sheet

Manufacturer:Dreve Dentamid GmbHStreet / mailbox:Max-Planck-Straße 31

Country code. / postal code / city: 59423 Unna
Phone: +49 2303 8807-0
Fax: +49 2303 8807-29

Information provided Department Research & Development: Fax: +49 2303

by / telephone: 8807-562

E-mail address of sicherheitsdatenblatt@dreve.com

person responsible for this SDS:

Supplier: al dente Dentalprodukte GmbH

Street / mailbox:

Country code. / postal code / city:

Phone:

0 53 21 / 80031

Fax:

0 53 21 / 50881

E-mail / Website: info@aldente.de / www.aldente.de

Further information obtainable from: all dente Dentalprodukte GmbH

1.4 Emergency telephone number

Henkel Fire Department / 24h-Emergency- +49 211 797-3350

Contact-No.:

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture: This product is not classified hazardous in accordance with

Regulation (EC) No 1272/2008.

2.2 Label elements

Labelling according to regulation (EC) No 1272/2008

Supplemental information: EUH210 Safety data sheet available on request.

2.3 Other hazards: No special hazards have to be mentioned.

The Substance does not meet PBT-criteria. This substance does not meet the vPvB-criteria. This substance does not have endocrine disrupting properties with respect to humans. This substance does not have endocrine

disrupting properties with respect to non-target organisms.

SECTION 3: Composition / information on ingredients

3.2 Mixtures

Hazardous ingredients

vinyl acetate

CAS No.: 108-05-4 EINECS no.: 203-545-4 Concentration: >= 0,1 < 1 %

Classification (Regulation (EC) No. 1272/2008):

Flam. Liq. 2 H225

in accordance with regulation (EC) No 1907/2006



Version: 1 Replaced version:- Date revised: 05.02.2024

Page 2 of 7 Printing date: 23.04.2024

Foliflex Bleach

 Acute Tox. 4
 H332

 Carc. 2
 H351

 STOT SE 3
 H335

Additional remarks:

CLP Regulation (EC) No 1272/2008, Annex VI, Note D

SECTION 4: First aid measures

4.1 Description on first aid measures:

General information: No special measures required.

After inhalation: Ensure supply of fresh air.

After skin contact: After contact with molten product cool quickly with cold

water. Consult a doctor if skin irritation persists.

After eye contact: Separate eyelids, wash the eyes thoroughly with water (15

min.). In case of irritation consult an oculist.

After ingestion: Rinse out mouth and give plenty of water to drink.

Adhere to personal protective measures

when giving first aid:

First aider: Pay attention to self-protection!

4.2 Most important symptoms and effects, both

acute and delayed:

Until now no symptoms known so far.

4.3 Indication of any immediate medical attention and special treatment needed

Hints for the physician / hazards:

In the case of swallowing with subsequent vomiting, aspiration of the lungs can occur which can lead to chemical pneumonia or asphyxiation.

SECTION 5: Firefighting measures

5.1 Extinguishing media:

Suitable extinguishing media: Recommended: alcohol resistant foam, CO2, powders,

water spray/mist, Extinguishing measures to suit

surroundings

5.3 Advice for firefighters:

Special protective equipment for

firefighters:

In case of combustion use a suitable breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment

and emergency procedures:

Avoid contact with skin, eyes and clothing.

6.2 Environmental precautions: Do not allow to enter drains or waterways.

6.3 Methods and material for containment and

cleaning up

Pick up mechanically. Clean contaminated floors and objects thoroughly, observing environmental regulations.

6.4 Reference to other sections: Refer to protective measures listed in Sections 7 and 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling Advices on safe handling:

dling: Observe the usual precautions for handling chemicals.

in accordance with regulation (EC) No 1907/2006



Version: 1 Date revised: 05.02.2024

Replaced version:-

Page 3 of 7 Printing date: 23.04.2024

Foliflex Bleach

Advice on protection against fire and

explosion:

No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and

Store product in closed containers.

vessels:

Hints on joint storage: Do not store together with foodstuffs.

Further information on storage conditions: Keep container tightly closed and dry.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Other information: Contains no substances with occupational exposure limit

values.

8.2 Exposure controls

General protection and hygiene measures: Observe the usual precautions for handling chemicals.

Respiratory protection: Do not inhale vapours.

Hand protection: Heat-resistant gloves when using hot material

Eye/face protection: Safety glasses

Body protection: Clothing as usual in the chemical industry.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state: Thermoforming blank

Colour:variousOdour:characteristicMelting point:Value: 60 to 90 °CFreezing point:not determinedBoiling point or initial boiling point andnot determined

boiling range:

Flammability: not determined **Upper and lower explosive limits:** not determined Flash point: not determined Ignition temperature: not determined **Decomposition temperature:** not determined pH value: not determined Viscosity: not determined Solubility(ies): not determined Partition coefficient n-octanol/water (log not determined

value):

Vapour pressure:

Density and/or relative density:

Nature 0,95 g/cm³
Temperature 20 °C
Relative vapour density:

not determined

9.2 Other information

Odour threshold:

Evaporation rate (ether = 1):

Solubility in water:

Explosive properties:

not determined
virtually insoluble
not determined

in accordance with regulation (EC) No 1907/2006



Version: 1 Replaced version:- Date revised: 05.02.2024

Page 4 of 7 Printing date: 23.04.2024

Foliflex Bleach

Oxidising properties: not determined Other information: None known

SECTION 10: Stability and reactivity

10.1 Reactivity: No hazardous reactions when stored and handled

according to prescribed instructions.

10.2 Chemical stability:No hazardous reactions known.

10.3 Possibility of hazardous reactions: No hazardous reactions known.

10.4 Conditions to avoid:Protect from heat and direct sunlight

10.5 Incompatible materials: None known

10.6 Hazardous decomposition products:

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity:Based on available data, the classification criteria are not

met.

Acute oral toxicity (Components)

vinyl acetate: Species rat (male)

LD50 3470 mg/kg

Acute dermal toxicity: Based on available data, the classification criteria are not

met.

vinyl acetate: Species rabbit

LD50 7440 mg/kg

Acute inhalational toxicity: Based on available data, the classification criteria are not

met.

Acute inhalative toxicity (Components)

vinyl acetate:

Species rat

LC50 4000 ppm(V)
Duration of exposure 4 h
Administration/Form Vapours

Skin corrosion/irritation:Based on available data, the classification criteria are not

met.

Serious eye damage/irritation: Based on available data, the classification criteria are not

met.

Sensitisation: Based on available data, the classification criteria are not

met.

Subacute, subchronic, chronic toxicity: not determined

Mutagenicity: Based on available data, the classification criteria are not

met.

Reproductive toxicity:Based on available data, the classification criteria are not

met.

in accordance with regulation (EC) No 1907/2006



Version: 1 Replaced version:- Date revised: 05.02.2024

Page 5 of 7 Printing date: 23.04.2024

Foliflex Bleach

Carcinogenicity: Based on available data, the classification criteria are not

met.

Carcinogenicity (Components)

vinyl acetate: Evaluation: Suspected of causing cancer.

Specific Target Organ Toxicity (STOT):

Single exposure:Based on available data, the classification criteria are not

met.

Repeated exposure: Based on available data, the classification criteria are not

met.

Specific Target Organ Toxicity (STOT) (Components)

vinyl acetate

Single exposure: Evaluation: May cause respiratory irritation.

Aspiration hazard: Based on available data, the classification criteria are not

met.

11.2 Information on other hazards

Endocrine disrupting properties with

respect to humans:

This substance does not have endocrine disrupting

properties with respect to humans.

Other information: No toxicological data are available.

SECTION 12: Ecological information

12.1 Toxicity: Not determined.

Fish toxicity (Components)

vinyl acetate

Species: Fathead minnow (Pimephales promelas)

NOEC: 0,551 mg/l
Duration of exposure: 34 d
Method: OECD 210

Daphnia toxicity (Components)

vinyl acetate

Species: Daphnia magna
NOEC: 12,6 mg/l
Duration of exposure: 48 h
Method: OECD 202

Algae toxicity (Components)

vinyl acetate

Species: Pseudokirchneriella subcapitata

NOEC: 12,7 mg/l
Duration of exposure: 72 h
Method: OECD 201

12.2 Persistence and degradability: Not determined.

Biodegradability (Components) vinyl acetate

in accordance with regulation (EC) No 1907/2006



Version: 1 Date revised: 05.02.2024 Page 6 of 7 Replaced version: Printing date: 23.04.2024

Foliflex Bleach

Value: 82 to 98 % Duration of test: 14 d

Evaluation: Readily biodegradable (according to OECD criteria)

12.3 Bioaccumulative potential: Not determined.

Partition coefficient n-octanol/water (log

value):

Not determined.

Octanol/water partition coefficient (log Pow) (Components)

vinyl acetate

log Pow: 0,73 Temperature: 25 °C

12.4 Mobility in soil: Not determined.

12.5 Results of PBT and vPvB assessment: The Substance does not meet PBT-criteria.

This substance does not meet the vPvB-criteria.

12.6 Endocrine disrupting properties

Endocrine disrupting properties with This substance does not have endocrine disrupting

respect to the environment: properties with respect to non-target organisms.

12.7 Other adverse effects

General information: Not determined.

General information / ecology: Do not discharge product unmonitored into the

environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods:

Disposal recommendations for the product: Must not be disposed together with household garbage.

Dispose of waste according to applicable legislation.

Disposal recommendations for packaging: Packaging that cannot be cleaned should be disposed off

in agreement with the regional waste disposal company.

SECTION 14: Transport information

	Land transport ADR/RID	Marine transport	Air transport ICAO/IATA
		IMDG/GGVSee	
14.1. UN number or ID	The product does not	The product does not	The product does not
number	constitute a hazardous	constitute a hazardous	constitute a hazardous
	substance in land	substance in sea	substance in air
	transport.	transport.	transport.
14.2. UN proper	-	-	-
shipping			
name			
14.3. Transport hazard		-	-
class(es			
Label			
14.4. Packing group		-	-

in accordance with regulation (EC) No 1907/2006



Version: 1 Replaced version:-

Foliflex Bleach

Date revised: 05.02.2024

Page 7 of 7 Printing date: 23.04.2024

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Other information:

All components are contained in the TSCA inventory or

exempted.

15.2 Chemical safety assessment: For this preparation a chemical safety assessment has not

been carried out.

SECTION 16: Other information

Hazard statements listed in Chapter 2/3

Highly flammable liquid and vapour. H225

Harmful if inhaled. H332

H335 May cause respiratory irritation. H351 Suspected of causing cancer.

CLP categories listed in Chapter 2/3

Acute Tox. 4 Acute toxicity, Category 4 Carc. 2 Carcinogenicity, Category 2

Flam. Liq. 2 Flammable liquid, Category 2

STOT SE 3 Specific target organ toxicity - single exposure, Category 3

Supplemental information: Relevant changes compared with the previous version of

the safety data sheet are marked with: ***

This information is based on our present state of knowledge. However, it should not constitute a

guarantee for any specific product properties and shall not

establish a legally valid relationship.